| Ref<br># | Hits | Search Query   | DBs   | Default<br>Operator | Plurals | Time Stamp       |
|----------|------|--|-------|---------------------|---------|------------------|
| L1       | 4541 | 709/229  | USPAT | OR                  | ON      | 2006/04/17 12:52 |
| L2       | 1213 | 713/168  | USPAT | OR                  | ON      | 2006/04/17 12:53 |
| S1       | 2    | ((elctronic or integrated) adj circuit adj chip) and 713/167.ccls.   | USPAT | OR                  | ON      | 2003/11/04 00:35 |
| S2       | 10   | (integrated adj circuit) and 713/167.ccls.   | USPAT | OR                  | ON      | 2003/11/03 23:50 |
| S3       | 8    | ((integrated adj circuit) and 713/167.ccls.) and encrypt\$   | USPAT | OR                  | ON      | 2003/11/04 00:07 |
| S4       | 2    | (((integrated adj circuit) and 713/167.ccls.) and encrypt\$) and (metal or shielding)  | USPAT | OR                  | ON      | 2003/11/04 00:07 |
| S5       | 1175 | ((elctronic or integrated) adj circuit<br>adj chip) and (metal or shielding)<br>and (probing or inspection or<br>disassembly or tempering)   | USPAT | OR                  | ON      | 2003/11/06 09:21 |
| S6       | 40   | ((elctronic or integrated) adj circuit<br>adj chip) and (metal or shielding)<br>and (probing or inspection or<br>disassembly or tempering) and<br>encrypt\$  | USPAT | OR                  | ON      | 2003/11/04 01:12 |
| S7       | 5    | ((elctronic or integrated) adj circuit<br>adj chip) same (metal or shielding)<br>same (probing or inspection or<br>disassembly or tempering) same<br>encrypt\$   | USPAT | OR                  | ON      | 2003/11/04 00:46 |
| S8       | 39   | (((elctronic or integrated) adj circuit<br>adj chip) and (metal or shielding)<br>and (probing or inspection or<br>disassembly or tempering) and<br>encrypt\$) and memory                                 | USPAT | OR                  | ON      | 2003/11/04 00:54 |
| S9       | 22   | (((elctronic or integrated) adj circuit<br>adj chip) and (metal or shielding)<br>and (probing or inspection or<br>disassembly or tempering) and<br>encrypt\$) and memory and cache                       | USPAT | OR                  | ON      | 2003/11/04 00:56 |
| S10      | 22   | (((elctronic or integrated) adj circuit<br>adj chip) and (metal or shielding)<br>and (probing or inspection or<br>disassembly or tempering) and<br>encrypt\$) and memory and cache<br>and microprocessor | USPAT | OR                  | ON      | 2003/11/04 01:11 |

|     |     |   |   |    | · · · · · · · · · · · · · · · · · · · | <u> </u>         |
|-----|-----|---|---|----|---------------------------------------|------------------|
| S12 | 14  | ((((elctronic or integrated) adj<br>circuit adj chip) and (metal or<br>shielding) and (probing or<br>inspection or disassembly or<br>tempering) and encrypt\$) and<br>memory and cache and<br>microprocessor) and execute same<br>encrypt\$3 same program | USPAT   | OR | ON                                    | 2003/11/04 00:59 |
| S13 | 1   | "6073237".pn.   | USPAT   | OR | ON                                    | 2003/11/05 16:10 |
| S14 | 116 | 713/167.ccls.   | USPAT   | OR | ON                                    | 2006/04/17 12:53 |
| S18 | 48  | metal adj (shielding or layer) near<br>memory   | USPAT   | OR | ON                                    | 2003/11/06 11:26 |
| S19 | 48  | (metal adj (shielding or layer) near<br>memory) and fd<"20020128"   | USPAT   | OR | ON                                    | 2003/11/06 09:30 |
| S20 | 48  | (metal adj (shielding or layer) near<br>memory) and pd>"20020128"   | USPAT   | OR | ON                                    | 2003/11/06 09:31 |
| S21 | 48  | (metal adj (shielding or layer) near<br>memory) and pd<"20020128"   | USPAT   | OR | ON                                    | 2003/11/06 09:32 |
| S22 | 37  | (metal adj (shielding or layer) near<br>memory) and @pd<"20020128"  | USPAT   | OR | ON                                    | 2003/11/06 11:41 |
| S24 | 4   | metal adj (shielding or layer) near<br>memory and (probing or inspecti\$<br>or disassembley)  | USPAT   | OR | ON                                    | 2003/11/06 10:28 |
| S27 | 27  | (metal adj (shielding or layer) near memory) and microprocessor   | USPAT   | OR | ON                                    | 2003/11/06 09:45 |
| S33 | 1   | metal and "6319740".pn.   | USPAT   | OR | ON                                    | 2003/11/06 10:27 |
| S37 | 1   | encrypt\$ same memory and "4465901".pn.   | USPAT   | OR | ON                                    | 2003/11/06 11:43 |
| S38 | 1   | encrypt\$ and memory and "4465901".pn.  | USPAT   | OR | ON                                    | 2003/11/06 14:40 |
| S39 | 1   | (encrypt\$ or encypher)and memory and "4465901".pn.   | USPAT   | OR | ON                                    | 2003/11/06 14:41 |
| S40 | 1   | (encrypt\$ or encipher)and memory and "4465901".pn.   | USPAT   | OR | ON                                    | 2003/11/06 14:44 |
| S41 | 1   | (encrypt\$ or encipher\$)and memory and "4465901".pn.   | USPAT   | OR | ON                                    | 2003/11/06 20:25 |
| S42 | 1   | "4133690".pn.   | USPAT   | OR | ON                                    | 2003/11/06 20:25 |
| S43 | 1   | "4465901".pn.   | USPAT   | OR | ON                                    | 2003/11/07 00:23 |
| S44 | 22  | (metal adj shielding) and (encrypt\$ or cipher or encipher)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON                                    | 2004/04/09 21:25 |

|     |      |   |   |    |    | <del></del> _    |
|-----|------|---|---|----|----|------------------|
| S45 | 3    | ((circuit adj chip) and (encrypt\$ or cipher\$ or encipher\$)) and 713/183,4,5.ccls.        | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/04/09 22:06 |
| S46 | 52   | (metal or (circuit adj chip)) and 713/183-185.ccls.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/04/09 21:58 |
| S48 | 2    | (metal adj shield\$) and 713/183-185.ccls.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/04/09 22:00 |
| S49 | 8    | ((circuit adj chip) and (encrypt or cipher or encipher)) and 713/183-185.ccls.              | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/04/09 22:02 |
| S51 | 662  | 713/183-185.ccls.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/04/09 22:04 |
| S52 | 14   | ((circuit adj chip) and (encrypt\$ or cipher\$ or encipher\$)) and 713/183-185.ccls.        | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/04/09 22:05 |
| S53 | 1    | (metal adj shield) and ((circuit adj<br>chip) and (encrypt or cipher or<br>encipher))       | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/04/09 23:36 |
| S54 | 1    | (metal adj shield) and ((identity adj<br>chip) and (encrypt or cipher or<br>encipher))      | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/04/09 23:36 |
| S55 | 2479 | monolithic adj semiconductor  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/04/13 17:57 |
| S56 | 9    | (authentication near2 host) and (monolithic adj semiconductor with chip) and microprocessor | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/04/12 23:41 |

| S57 | 2  | "6427140".pn.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON. | 2004/04/13 00:30 |
|-----|----|--|---|----|-----|------------------|
| S58 | 2  | "5949876".pn.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2004/04/13 00:45 |
| S60 | 1  | (authentication) and "5949876".pn.                                 | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2004/04/13 00:52 |
| S61 | 1  | authenticat\$ and "6260120".pn.                                    | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2004/04/13 01:00 |
| S62 | 1  | authenticat\$ and "6421711".pn.                                    | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2004/04/13 01:13 |
| S63 | 1  | authenticat\$ and (port adj adapter) and "6421711".pn.             | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2004/04/13 01:14 |
| S64 | 16 | monolithic adj semiconductor and "713"/\$.ccls.                    | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2004/04/13 21:01 |
| S65 | 13 | monolithic adj semiconductor and microprocessor and "713"/\$.ccls. | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2004/04/13 21:01 |
| S66 | 2  | "5998858".pn.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2004/04/19 17:54 |
| S67 | 2  | "6201735".pn.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |    | ON  | 2004/04/19 17:52 |

| CCO |   | (manalithia adi comisandustar) and   | US-PGPUB;   | OR   | ON | 2004/04/28 14:43  |
|-----|---|--|---|------|----|-------------------|
| S68 | 1 | (monolithic adj semiconductor) and "5998858".pn.   | USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB              | OK . | OI | 200 1107120 17.73 |
| S70 | 2 | (monolithic or semiconductor) and "6201735".pn.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2004/04/19 17:56  |
| S72 | 1 | metal and monolithic and semiconductor and "5998858".pn.                                     | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2004/04/21 22:26  |
| S73 | 1 | (eras\$ and programm\$) and (metal<br>and monolithic and semiconductor)<br>and "5998858".pn. | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2004/04/21 22:06  |
| S74 | 1 | (eras\$ ) and (metal) and "5998858".pn.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2004/04/21 22:19  |
| S77 | 1 | layer with metal and "5998858".pn.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2004/04/21 22:41  |
| S82 | 1 | (monolithic adj semiconductor) same ((integrated adj circuit) or chip) and "5998858".pn.     | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2004/04/21 22:56  |
| S84 | 1 | prob\$ and (circuit or chip) and "5998858".pn.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2004/04/23 16:26  |
| S85 | 1 | (monolithic adj semiconductor) and ((integrated adj circuit\$) or chip) and "5998858".pn.    | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2004/04/22 00:09  |
| S86 |   | microprocessor and "4465901".pn.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2004/04/22 00:14  |

|     |   |   | LIG DODLID  | 00 | ON | 2004/04/22 01:20 |
|-----|---|---|---|----|----|------------------|
| S87 | 1 | (microprocessor and encrypt\$ and memory) and "4465901".pn.                                     | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/04/22 01:20 |
| S88 | 1 | (microprocessor same encrypt\$ same memory) and "4465901".pn.                                   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/04/22 01:19 |
| S89 | 1 | (microprocessor same encrypt\$ and memory) and "4465901".pn.                                    | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/04/23 12:49 |
| S90 | 1 | (electrical\$ and eras\$ and read-only and memory) and "4465901".pn.                            | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/04/23 14:37 |
| S92 | 1 | ((electrical\$ or circuit\$) with eras\$) and read-only and memory and "4465901".pn.            | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/04/23 14:39 |
| S93 | 1 | ((electrical\$ or circuit\$) same eras\$) and read-only and memory and "4465901".pn.            | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/04/23 14:42 |
| S94 | 1 | ((electricals or circuits) and erass) and read-only and memory and "4465901".pn.                | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/04/23 14:42 |
| S96 | 1 | ((electrical\$ or circuit\$) and eras\$) and battery and read-only and memory and "4465901".pn. | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/04/23 14:48 |
| S97 | 1 | prob\$ and (circuit or chip) and "4465901".pn.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/04/23 18:52 |
| S98 | 2 | "6327654".pn.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |    | ON | 2004/04/23 18:52 |

| S99      | 2   | "6550012".pn.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR | ON  | 2004/04/24 14:23 |
|----------|-----|--|---|----|-----|------------------|
| S10<br>0 | 4   | (("6466976") or ("6539483")).PN.                               | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2004/04/24 14:24 |
| S10<br>1 | 2   | (("6466976") or ("6539483")).PN.                               | USPAT;<br>USOCR   | OR | OFF | 2004/04/24 14:24 |
| S10<br>2 | 3   | (("6504819") or ("6438100") or<br>("6182224")).PN.             | USPAT;<br>USOCR   | OR | OFF | 2004/04/24 14:25 |
| S10<br>3 | 216 | (713/194).CCLS.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2004/04/28 11:11 |
| S10<br>5 | 13  | metallic and 713/194.ccls.                                     | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR | ON  | 2004/04/28 11:13 |
| S10<br>7 | 1   | (metallic) and monolithic and 713/194.ccls.                    | USPAT   | OR | ON  | 2004/04/28 11:33 |
| S11<br>0 | 1   | encrypt\$ and metalic and 713/194. ccls.                       | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR | ON  | 2004/04/28 12:27 |
| S11<br>1 | 1   | (encrypt\$ or cryptograph\$) and metalic and 713/194.ccls.     | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR | ON  | 2004/04/28 12:30 |
| S11<br>2 | 8   | (encrypt\$ or cryptograph\$) and (metallic and 713/194.ccls.)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR | ON  | 2004/04/28 12:30 |
| S11<br>3 | 4   | (encrypt\$ and cryptograph\$) and (metallic and 713/194.ccls.) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR | ON  | 2004/04/28 12:33 |

| S11<br>4 | 3  | (encrypt\$ and cryptograph\$) and microprocessor and (metallic and 713/194.ccls.)                     | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/04/28 12:35 |
|----------|----|---|---|----|----|------------------|
| S11<br>5 | 5  | metallic and (encrypt\$ and cryptograph\$) and microprocessor and 713/194.ccls.                       | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/04/28 12:36 |
| S11<br>6 | 3  | metallic and (encrypt\$ and cryptograph\$) and microprocessor and 713/194.ccls.                       | USPAT   | OR | ON | 2004/04/29 17:01 |
| S11<br>8 | 1  | (metal near3 layer) and (encrypt\$ and cryptograph\$) and microprocessor and 713/194.ccls.            | USPAT   | OR | ON | 2004/04/28 12:49 |
| S11<br>9 | 1  | (metal near3 layer) and (encrypt\$ and cryptograph\$) and microprocessor and memory and 713/194.ccls. | USPAT   | OR | ON | 2004/04/28 13:02 |
| S12<br>3 | 1  | (metal) and (encrypt\$ and cryptograph\$) and microprocessor and memory and "4465901".pn.             | USPAT   | OR | ON | 2004/04/28 12:58 |
| S12<br>7 | 1  | (encrypt\$ or cryptograph\$) and "5998858".pn.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/04/28 14:50 |
| S12<br>8 | 2  | microprocessor and "5998858".pn.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/04/28 14:49 |
| S12<br>9 | 1  | microprocessor and (encrypt\$ or cryptograph\$) and "5998858".pn.                                     | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/04/28 14:50 |
| S13<br>0 | 26 | CMOS and 713/194.ccls.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/04/28 15:13 |
| S13      | 1  | EEPROM and "5881155".pn.  | USPAT   | OR | ON | 2004/04/29 01:32 |

| S13<br>3 | . 2 | "6519571".pn.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/04/29 01:54 |
|----------|-----|--|---|----|----|------------------|
| S13<br>5 | 1   | monolithic and "5998858".pn.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/04/29 01:58 |
| S13<br>9 | 1   | PROM and "4465901".pn.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/04/29 03:58 |
| S14<br>0 | 1   | (ring adj configuration near3 processors) and (service adj provider) and rout\$ and host | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/04/29 04:01 |
| S14<br>2 | 1   | ((ring adj configuration) same<br>processors) and (service adj<br>provider)              | USPAT   | OR | ON | 2004/04/29 04:05 |
| S14<br>3 | 57  | ((ring adj configuration) same processors)   | USPAT   | OR | ON | 2004/04/29 04:05 |
| S14<br>4 | 53  | (ring adj configuration) and (service adj provider)                                      | USPAT   | OR | ON | 2004/04/29 04:05 |
| S14<br>5 | 1   | (ring adj configuration) same processor and (service adj provider)                       | USPAT   | OR | ON | 2004/04/29 04:06 |
| S14<br>6 | 39  | (ring adj configuration) and processor and (service adj provider)                        | USPAT   | OR | ON | 2004/04/29 04:45 |
| S14<br>8 | 2   | (ring adj configuration) and processor and (service adj provider) and "713".clas.        | USPAT   | OR | ON | 2004/04/29 04:48 |
| S15<br>1 | 1   | token and (service near3 identifier) and "6515988".pn.                                   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/04/29 04:55 |
| S15<br>2 | 1   | authorization and "6515988".pn.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/04/29 04:53 |
| S15<br>3 | 2   | token and (service near3 (identifier or parameter)) and "6515988".pn.                    | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/04/29 05:01 |

| S15<br>4 | 2    | printer and "6515988".pn.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR | ON  | 2004/04/29 04:59 |
|----------|------|---|---|----|-----|------------------|
| S15<br>5 | 1093 | token and (service near3 (identifier or parameter)) printer and "6515988".pn.     | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR | ON  | 2004/04/29 05:02 |
| S15<br>6 | 2    | token and (service near3 (identifier or parameter)) and printer and "6515988".pn. | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR | ON  | 2004/04/29 05:02 |
| S15<br>7 | 673  | ((first or second) adj key) and (match or compare) and authentic\$ and network    | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR | ON  | 2004/04/29 16:57 |
| S15<br>9 | 3    | (metal adj layer) and monolithic and 713/194.ccls.                                | USPAT   | OR | ON  | 2004/04/29 16:59 |
| S16<br>1 | 2    | "5719938".pn.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR | ON  | 2004/04/30 01:50 |
| S16<br>2 | 2    | ("6304973").PN.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2004/04/30 01:50 |
| S17<br>8 | 2    | "5881155".pn.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR | ON  | 2004/12/13 00:43 |
| S17<br>9 | 2    | "5998858".pn.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR | ON  | 2004/12/13 00:43 |
| S18      | 1    | "20020059431"   | US-PGPUB;<br>USPAT  | OR | ON  | 2004/12/16 00:40 |
| S18<br>2 | 1    | "20030061274"   | US-PGPUB;<br>USPAT  | OR | ON  | 2004/12/16 00:45 |
| S18<br>3 | 5    | lo-george.in.   | US-PGPUB;<br>USPAT  | OR | ON  | 2004/12/16 00:45 |

| S18<br>4 | 59  | "encryption chip" AND<br>programmable AND input AND<br>output AND bus | USPAT   | OR | ON  | 2005/06/12 23:42 |
|----------|-----|---|---|----|-----|------------------|
| S18<br>5 | 435 | 713/189   | USPAT   | OR | ON  | 2005/06/12 23:44 |
| S18<br>6 | 8   | encrypt\$ near chip and 713/189                                       | USPAT   | OR | ON  | 2005/06/12 23:45 |
| S18<br>7 | 2   | ("20020129246").PN.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/04/13 15:43 |

Page 11 4/17/2006 12:54:10 PM C:\Documents and Settings\kshin\My Documents\EAST\Workspaces\10058651.wsp